

KITTO



PRODUCT GUIDE

Safety

Strength

Reliability

Performance

Selection

KITO PRODUCT GUIDE

Why Kito?

THE SAFE CHOICE

Hoists are used by people. That's why the guiding principle behind everything we do is - and must remain - safety.

Kito is committed to protecting you and your co-workers. Our dedication to safety and innovation remains as strong today as it was 70 years ago. It is at the very core of who we are and what we build. These values define our approach to product development, design and production.

Quality is the priority. Leading edge manufacturing techniques increase product quality and enhance performance. Every Kito hoist features the functionality and durability required by even the most demanding user.

At Kito, we believe that the safety and performance delivered by a hoist are not dependent on any one system or feature. Rather, it is the sum of these systems working together that results in the best hoist on the market today.

Kito - where safety meets performance.

Lever Chain Hoists



L5LB 3/4 t - 9 t

- Built for demanding industrial applications
- Compact, lightweight design with high impact steel housing
- Double reduction gearing
- Spring loaded free wheel
- Open load sheave
- 360° handle rotation
- Articulating top hook
- Nickel plated load chain
- Safety tip latches



LX 1/4 t - 1/2 t

- Ultra compact, lightweight design
- Open load sheave
- 360° handle rotation
- Articulating top hook
- 1/4 t weighs less than 4 lbs
- Nickel plated load chain
- Optional carrying case available (1/4t model)

Manual Chain Hoists



M3CB 1/2 t - 50 t

- Built for demanding industrial applications
- Compact, lightweight design
- High impact steel housing
- Double reduction gearing
- Open load sheave
- Articulating top hook
- Optional slip clutch available



CF 1/2 t - 5 t

- Reliable, economical design
- Die cast aluminum housing
- Sealed gears
- Sealed brake
- Maintenance-free sealed bearings
- Articulating top hook

Trolleys - Plain, Geared, Motorized

TSP 1/2 t - 10 t



- Plain trolleys
- Lug or hook mount
- Safety lugs
- Steel wheels
- Lifetime lubricated ball bearings
- Low minimum radius for curved beams
- Adjustable width



TSG 1 t - 20 t

- Geared trolleys
- Lug or hook mount
- Safety lugs
- Steel wheels
- Lifetime lubricated ball bearings
- Low minimum radius for curved beam
- Adjustable width



MR 1 t - 20 t

- 3-phase motorized trolleys available in 220, 440 or 575 volt
- Safety lugs
- Steel wheels
- Lifetime lubricated ball bearings
- Dual speed models also available
- CSA approved

Electric Chain Hoists - 3 Phase (220/440/575V)



ER 1/4 t - 5 t

- Engineered for heavy duty applications
- Single fall through three tonne capacities
- Low headroom design
- Advanced fail-safe brake
- Fan-cooled motor
- Limit switch and slip clutch protection
- Electromagnetic contactors
- Dual speed models available
- Exceeds H4 standards
- CSA approved



ER 7 1/2 t - 20 t

- Large capacity hoists
- Low headroom design
- Advanced fail-safe brake
- Fan-cooled motor
- Limit switch and slip clutch protection
- Electromagnetic contactors
- Exceeds H4 standards
- CSA approved



ERCL 1/4 t

- Ergonomic cylinder control in dual speed
- Low headroom design
- Advanced fail safe brake
- Fan-cooled motor
- Limit switch and slip clutch protection
- Electromagnetic contactors
- Bottom hook is easily detachable
- CSA approved

Electric Chain Hoists - Single Phase (115V)



EFS 1/4 t - 2 t

- Designed for shop or light industry use
- Advanced fail-safe brake
- Slip clutch protection
- High capacity condensers
- CSA approved



EDL 100 - 240 kg

- High speed hoists with low headroom
- Single or dual speed models available
- Slip clutch protection
- Low voltage pendant
- Compact and portable
- CSA approved



EDCL 100 - 240 kg

- Ergonomic hoists with cylinder control
- Compact and portable
- Dual, variable high speeds on all models
- Slip clutch protection
- Low voltage pendant
- Bottom hook is easily detachable
- CSA approved

Air Chain Hoists



TCR 1/2 t - 6 t

- Reliable and durable hoists for industrial applications
- Pendant or cord control available
- Comes with a reliable self-adjusting brake
- Built-in load limiter
- Allows fine feathering movements
- Quiet external muffler
- Multi-vane motor with a 100% duty cycle



TCR Mini 250 kg

- Compact, lightweight hoists
- Built for manufacturing applications
- Available with cord or pendant control
- Comes with a reliable self-adjusting brake
- Allows fine feathering movements
- Quiet external muffler
- Multi-vane motor with a 100% duty cycle



TCR Mini 250 kg

- Ergonomic cylinder control
- Comes with a reliable self-adjusting brake
- Allows fine feathering movements
- Quiet external muffler
- Multi-vane motor with a 100% duty cycle

KITO



KITO CANADA INC.

For detailed information on any hoist, or for recommendations on hoist applications and selection, call your KITO representative.

KITO Canada Inc.
309 - 3815 1st Ave
Burnaby, BC V5C 3V6

tel: 604.291.9955
fax: 604.294.8855

KITO Canada Inc.
36 - 2400 Lucknow Drive
Mississauga, ON L5S 1T9

tel: 905.405.0905
fax: 905.405.0906

email: info@kito.ca

Kito Canada Inc. is registered to the ISO9001 quality standard.

BULLETIN NO. PG-ENG-02

Distributed by:

www.kito.ca